

ROMPETROL SE 75/115

USES: ECOLOGICAL SOLVENT IN THE VARNISH AND PAINT INDUSTRY, FOR RUBBER INDUSTRY, SOLVENT FOR EXTRACTION OF VEGETABLE OILS, SOLVANT, GREASE REMOVER ETC

CHARACTERISTIC	UM	VALUE		TESTING REPORT
		Min.	Max.	
Density at 15 ⁰ C	kg/m ³	-	745	SR EN ISO 12185-03 SR EN ISO 3675-02/C91:2005 ASTM D 4052-09 ASTM D 1298-99(05)
Distillation:				
- initial boiling point	⁰ C	75	-	SR EN ISO 3405-11
- 98% (v/v) distill till	⁰ C	-	115	ASTM D 86-10a
Benzene content	%(m/m)	-	0.02	Test Method GC
Aromatic hydrocarbons content	%(m/m)	-	0.2	Test Method GC
Saybolt colour	units	+30	-	ASTM D 156-07a
Sulphure content	mg/kg	-	10	ASTM D 5453-09
Water and mechanical impurities			lack	SS 120

Determination of mechanical impurities and water

The sample for analysis is introduced into an eprouvette, with approximately 40 mm diameter and heated to 15-20°C. Water and mechanical impurities is considered lack if the content of eprouvette is clear and do not have substances in suspension and no water decanted or other visible impurities at the bottom of the eprouvette.

Quality control: the control is done on lot (batch)

The batch size correspond to tank capacity, max.300 tones for delivery in trucks and tankers and will consist of the same product type.

For each lot must to check all quality coefficients provided in standard specification of the product/type.

The product must to comply with all provided characteristics. If not, the lot is rejected.

In case of litigation, quality control will be made on samples taken in accordance with sampling procedure and hold for this case.

Sampling procedure: SR EN ISO 3170-2004/C91:2005/ASTM D 4057-06

Information on product classification, packing, labelling, handling, transport and storage: accordance with the Safety Data Sheet: FTS 90.

The Integrated management system Quality – Environment is certified by Germanischer Lloyd Certification in accordance with ISO 9001 and ISO 14001.

© SC ROMPETROL RAFINARE SA CONSTANTA – WORKING POINT VEGA REFINERY-PLOIESTI

Unauthorized reproduction, full or partial, of this SS, by any means, is prohibited.